		Post –o	Post-op Month				
	1-2w	3-4w	5-6w	7-12w	4-5m	6-9m	9-12m
Brace Hinged P.O. ROM brace	0-70	0-70	0-70	FROM	FROM	FROM	FROM
Weight-bearing (normal gait pattern ASAP)	See post –op instructions		FWB	FWB	FWB	FWB	
ROM Goal	0 - 70	0 - 70	0 - 70	0-FULL	0-FULL	0-FULL	0-FULL
ROM exercises (within set ROM)							
Active assisted knee flex/ext (foot sliding)	~	~	~	V			
Active knee flex/ext (foot sliding, NO resistance)	0-60	0-60	0-60	0-70			
Passive knee flex (proximal tibial force directed anteriorly)	~	~	~	~			
Oedema management (RICE)	~	~	~	As reqd	As reqd	As reqd	As reqd
Stretching Hamstring, calf, ITB,	~	~	~	~	~	~	~
Patella mobilisations	~	~	~	~	As reqd	As reqd	As reqd
Strengthening Isometric quads/SLR	~	~	~	~	~	~	~
Closed chain (gait re-ed, mini squats within ROM limits, toe	~	~	~	~	~	~	~
standing, )							
Wall slides	0-30	0-45	0-60	0-60	~	~	~
Open chain knee extension	70-0	70-0	70-0	70-0	70-0	90-0	90-0
Hamstring curls					~	~	~
Leg press				V	~	~	~
Hip extn, abd, add (avoid stresses on knee)	~	~	~	~	~	~	~
	1-2w	3-4w	5-6w	7-12w	4-5m	6-9m	9-12m

## CM Gupte PCL and POSTEROLATERAL CORNER RECONSTRUCTION – REHABILITATION PROTOCOL

Cardiovascular Stationary bicycle no toe traps			<b>v</b>	✓	~	~
Step machine /swimming straight kick				~	~	~
Running -straight					~	~
Proprioception	~	~	<b>v</b>	✓	~	~
(eg, weight transfers, balance board, mini tramp)						
Dynamic stability			~	~	~	~
(eg stepping on/off different surfaces and in all directions)						
Sport specific/agility drills					✓*	~
(eg. Shuttle runs, cariocas, figure 8s)						
Plyometrics					✓*	~
(eg bounding, hopping, jumping)						
Activities						
Work – sedentary	~	~	~	~	~	~
Work - heavy			✔**	✔**	~	~
Driving			8/52	~	~	~
Sports						✔*

\* progressed within limits of pain, swelling and muscle control. \*\*Dependent on type of employment / sport